



“Floppy”. Adult female with flopped fin- entanglement or propeller injury or birth defect. Seen 18 times from 1996-2009 often with calves. Currently has a calf with her. Strand feeder.

“KoKo” (mom), and “Kai” (1 yo calf). 13 sightings from 2004-09. Seen before with calves as she is listed as a prob female. 4/13 sightings with STEP. Strand feeder. The most distinguishing mark is the little bump in circle. Currently seen with a calf.



“Hook”. Seen only 3 times from 2003-09. Seen several times with another known male. Seen feeding with STEP on several occasions. Strand feeder. The most common sighted dolphin at the inlet. Often feeding with KoKo, Step, High Scoops. Also seen her swimming close with KoKo’s calf.




"STEP", adult female. Stono River resident. Sighted over 70 times. Has at least 5 calves. Monitored since 1995, over 27 years old. Regular strand feeder. One of her calves (16 yo High Scoops) is also a strand feeder and they've been seen strand feeding together. Probable injury to fin.

"High Scoops". STEP's calf (16 years old; independent from mom since 2006). Note scar on its peduncle (behind the dorsal fin). Strand feeder.



"Rosie". STEP's 11 yo calf (independent now). Notice scar on back and on leading edge of the dorsal fin. Strand feeder.



"Times 3". Strand feeder. Notice the 3 large notches in the back of the dorsal fin. Often confused with Jaws. Notice the notch at the tip of the fin. Confirmed male through genetics.

Jaws. Female. Possible new calf (2018). Strand feeder. Notice this low notch, help distinguish between her and Times 3. Has a 1 o calf. Never seen strand feeding. Only seen in the inlet with KoKo and Kai.



Sometimes confused with Jaws.



“Small Nick”. Thought to be in a male bonded pair with Times 3. Always seen together. (Males pair up in mid-life and stick together to feed, mate and travel.

Known Charleston animal.



Probable adult male.